

THE ULTIMATE KEY CONTROL MANAGEMENT SYSTEM





KM 54C - MAIN CONSOLE

THE KEY MONITOR SYSTEM

An easy to use wall mounted system, offering total control and complete management of keys and their use.

The Key Monitor houses all of a venues' keys and may only be accessed by authorized personnel after entering their valid means of identification.

Only keys programmed as available to a particular user are shown on the Key Monitor touch screen for release. All other keys are electronically held within the cabinet.

A virtually unlimited number of users and their various access levels may be programmed into the Key Monitor on-board computer.

Keys may be individually timed and alarmed, ensuring attention is drawn to keys not removed or returned at a designated time.

A complete record of system operations is retained within an Event Log, which is able to be viewed on screen or by print out.

A battery backup ensures all functions and programs are retained in the case of mains power failure.

SPECIFICATIONS

MAJOR FEATURES OF THE KEY MONITOR SYSTEM

- Virtually unlimited number of keys can be monitored
- 10/100 Networking via standard RJ45 Connector
- Remote control via network option
- Multiple systems co-ordinated via network option
- Central event logging via network option
- Event log records last 1600 events
- Printing to network capable printer for reports
- Touch screen and graphics display for ease of use
- USB port for connection to computer, mouse, keyboard and printer
- Battery backup allows full operation after mains power failure
- Solid metal outer door available
- Virtually unlimited number of access levels
- Duress alarm available with silent alarm output
- Virtually unlimited number of alarms available
- May be connected to central alarm system



USB connection available



Pin number access to your keys



Only user unique list of keys displayed



LED assists with quick location of keys

MODELS



KM18C - MAIN CONSOLE
640 (w) 335 (h) x 106 (d) mm



KM 54C - MAIN CONSOLE
640 (w) 725 (h) x 106 (d) mm



KM 54S - SLAVE UNIT
640 (w) 725 (h) x 106 (d) mm




KM18S - SLAVE UNIT
640 (w) 335 (h) x 106 (d) mm



KM 54C with KM18S COMBINATION

TYPICAL NETWORK SCENARIO



Unique electronically coded key carrier secured in cabinet

